

SUPER

& PRO LINE & PRO

LINE & PRO LINE

SUPER

& PRO LINE & PRO


LINE & PRO LINE


SUPER

Efficient and delicate luminaire featuring a high technological level. It is composed of a bar combining direct and indirect light and held by two coaxial cables that provide support and electrical wiring. Perfect for offices or places that require high lighting efficiency and comfort.

Luminaria de alto nivel tecnológico, eficiente y delicada, formada por una barra que combina la luz directa e indirecta sujeta por dos cables coaxiales que aportan sujeción y cableado eléctrico. Perfecta para oficinas o lugares que requieren de una gran eficiencia luminosa y un alto confort.


SUPER LINE & PRO





Super Line is equipped with a technical multi-layer diffuser filter that guarantees perfect light distribution and improves the optical effect and visual comfort. Super Line Pro is fitted with a black raster that ensures total control of the light distribution and maximum comfort in work environments.


Super Line está equipado con un filtro difusor técnico multicapa que asegura una distribución perfecta de la luz y mejora el efecto óptico y el confort visual. Super Line Pro monta un raster negro, que garantiza un control total de la distribución de luz y el máximo confort en ambientes de trabajo.





The patented optical unit that characterizes Super Line Pro consists of a modular optical raster with four-sided cells combined with a primary lens.

El grupo óptico que caracteriza Super Line Pro está patentado y está compuesto por un raster óptico modular con celdas cuadrangulares combinadas con una lente primaria.



Powered by a coaxial cable.

Alimentada a través de cable coaxial.

1 The ceiling installation is carried out by means of a patented recessing system for quick adjustment that allows you to adjust the cables length during the installation.

La instalación a techo se realiza mediante un sistema de empotrado de ajuste rápido patentado que permite ajustar la longitud de los cables durante el montaje.

2 The device's cable outlet is individual for direct and indirect emission control, and is marked by a specific printed element showing the words "Up Light" and "Down Light".

La salida de los cables del dispositivo es individual para el control de emisión directa e indirecta y está marcada por un elemento impreso específico que lleva las palabras "Up Light" y "Down Light".

Exclusive patented optical solution.



Exclusiva solución óptica patentada.


3 The main lens is made of PMMA. It features a dedicated surface texturing and Frosted finish to guarantee the maximum homogeneity of the lighting effect.

La lente principal está hecha de PMMA, con una texturización superficial específica y acabado Frosted para garantizar la máxima homogeneidad del efecto luminoso.

4 The upper profile of the luminaire has been developed in combination with the lens to prevent indirect light from hitting it, which would cause an unpleasant glare to the eye.


El perfil superior de la luminaria ha sido desarrollado en combinación con la lente para evitar que la luz indirecta la golpee, provocando un resplandor desagradable a la vista.





The light source used for managing the direct emission is positioned far back inside the profile in order to seize the maximum control of the direct glare. The patented optical unit was specifically developed for applications in Office environments.


La fuente de luz utilizada para la gestión de la emisión directa está colocada muy hacia atrás dentro del perfil, para aprovechar el máximo control del deslumbramiento directo. El grupo óptico patentado se desarrolló específicamente para aplicaciones en ambientes Office.






Embellishment for installation with remote equipment.

Embellecedor para la instalación con el equipo remoto.





The special opal diffuser that completes the luminaire, characterizing the direct emission, ensures maximum uniformity and a practically Lambertian distribution.

El difusor opal especial que completa la luminaria, caracterizando la emisión directa, asegura la máxima uniformidad y una distribución prácticamente lambertiana.




Although its dimensions are extra compact and the LED tips are close to the diffuser, it offers homogeneous light distribution. The LED tips are not visible.

Pese a sus dimensiones súper compactas y la cercanía de los puntos LED al difusor, se ofrece distribución homogénea de la luz. No se ven los puntos LED.



Detail of the coaxial cable that forms the electrical connection and can also be used for suspending.


Detalle del cable coaxial que hace la conexión eléctrica y sirve a la vez como suspensión.



SUPER LINE

SUPER LINE PRO

SUPER LINE
UP&DOWN
INDIRECT



TOP LED
60W

SUPER LINE
UP&DOWN
DIRECT



TOP LED
60W

SUPER LINE
DOWN



TOP LED
40W



SUPER LINE PRO
UP&DOWN




TOP LED
60W


SUPER LINE PRO
DOWN




TOP LED
40W



30 White
30 Blanco




02 Grey
02 Gris



14 Black
14 Negro



30 White
30 Blanco



02 Grey
02 Gris



14 Black
14 Negro



Flood
Up&Down



Flood



Flood
Up&Down



Flood

FLOS
CONTROL BY CASAMBI

